ELSEVIER

Journal of Materials Processing Technology 170 (2005) 632–633

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

# Author Index of Volume 170

Abboud, J.H., 127
Abdel-Rahman, M., 501
Abdullah, H.A., 430
Aggarwal, S., 71
Al-Qureshi, H.A., 204
Altan, T., 64
Arunachalam, V.P., 32
Aslan, E., 121

Bae, W.B., 24
Bajpai, J.B., 487
Barbosa, J., 441
Bayraktar, E., 477
Behera, B.B., 323
Benedetti, M., 97
Benyounis, K.Y., 127
Bhushan, B., 71
Billaudeau, T., 448
Biswas, C.K., 509
Blackwell, P.L., 240, 268
Bobrovnitchii, G., 254
Bobrovnitchii, G.S., 187
Bohé, A.E., 304
Brunet, M., 457
Bulf, U., 97

Cai, H., 259
Camuşcu, N., 121
Carpenter, K.R., 536
Castro, F., 441
Chang, H.-J., 317
Chawla, B.S., 509
Chen, A., 367
Chen, C.-C.A., 367
Chen, F.-K., 181
Chen, Q.R., 58
Chin, C.W., 494
Chiou, C.-H., 164
Chiu, K.-H., 181
Cho, H., 64
Cho, J.R., 50
Choudhury, I.A., 115
Choudhury, S.K., 487
Chumachenko, E.N., 448
Çoğun, C., 192
Combs, A., 570

Dahotre, N.B., 1
Dai, F., 108
Dai, J.S., 259
Danckert, J., 524
Das, N.S., 509
Davim, J.P., 436, 441
Deis, M., 341
Dong, X., 624
Dotcheva, M., 284
Dunne, D.P., 536

Ehmann, K.F., 164
El-Abden, S.Z., 501
Erdem, G., 17
Ervasti, E., 142
Erzurumlu, T., 11
Esquivel, M.R., 304

Fakron, O.M.A., 127
Fan, S.M., 58
Fan, Y., 563
Fang, Y., 108
Filgueira, M., 254
Finn, M., 350
Fontanari, V., 97
Fox, P., 516
Fredel, M.C., 204
Fu-chen, C., 385
Fung, C.-P., 602

Gai, G.S., 58
Ghaei, A., 156
Gong, W., 374
Grandhi, R.V., 421
Guobin, L., 336, 416

Han, H.N., 317
Hao, X.Y., 58
Hashmi, M.J.S., 127
Hemin, D., 416
Holanda, J.N.F., 187
Hong, M.-S., 164
Hu, L., 403
Hu, X., 403
Huang, Y.-M., 616
Huttunen-Saarivirta, E., 211

Jeon, D.H., 50
Jia, X., 381
Jianwei, L., 416
jibing, S., 336
Jibing, S., 416
Jo, I., 570
Joo, B.-Y., 593
Joo, S.-H., 317
Joshi, S.V., 229

Kang, D.C., 112
Kang, P.-C., 602
Kaplan, D., 477
Kathuria, Y.P., 545
Kato, M., 563
Katsube, N., 71
Khangar, A., 1
Kim, J.-D., 570
Klein, A.N., 204
Kuriakose, S., 133
Kurtaran, H., 11
Kwak, T.S., 24

Lahiri, A.K., 323
Lan, J., 624
Lang, L., 524
Le, H.R., 310
Lee, D., 247
Lee, K.-B., 570
Lee, K.-H., 317
Li, C.-Z., 112
Li, M.-S., 112
Li, W., 374
Li, Z., 624
Lian, J.C., 381
Lino, F.J., 277
Liu, C.H., 367
Liu, F., 412
Lu, Y., 412
Luo, H., 403

Machado, I.F., 89
Magalhães, A., 277
Manabe, K.-i., 579
Marinescu, I., 341
Mata, F., 436
Mayer, H., 42
Millward, H., 284
Mohamed, F.A., 501
Morestin, F., 457
Movahhedy, M.R., 156

Nash, P., 586
Neema, M.L., 494
Neto, R.J.L., 277
Newman, D., 350
Nielsen, K.B., 524
Nishimura, H., 579
Noh, K.T., 50

Elsevier B.V.
doi:10.1016/S0924-0136(05)00968-4

ELSEVIER

Journal of Materials Processing Technology 170 (2005) 632–633

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

# Author Index of Volume 170

Abboud, J.H., 127
Abdel-Rahman, M., 501
Abdullah, H.A., 430
Aggarwal, S., 71
Al-Qureshi, H.A., 204
Altan, T., 64
Arunachalam, V.P., 32
Aslan, E., 121

Bae, W.B., 24
Bajpai, J.B., 487
Barbosa, J., 441
Bayraktar, E., 477
Behera, B.B., 323
Benedetti, M., 97
Benyounis, K.Y., 127
Bhushan, B., 71
Billaudeau, T., 448
Biswas, C.K., 509
Blackwell, P.L., 240, 268
Bobrovnitchii, G., 254
Bobrovnitchii, G.S., 187
Bohé, A.E., 304
Brunet, M., 457
Bulf, U., 97

Cai, H., 259
Camuşcu, N., 121
Carpenter, K.R., 536
Castro, F., 441
Chang, H.-J., 317
Chawla, B.S., 509
Chen, A., 367
Chen, C.-C.A., 367
Chen, F.-K., 181
Chen, Q.R., 58
Chin, C.W., 494
Chiou, C.-H., 164
Chiu, K.-H., 181
Cho, H., 64
Cho, J.R., 50
Choudhury, I.A., 115
Choudhury, S.K., 487
Chumachenko, E.N., 448
Çoğun, C., 192
Combs, A., 570

Dahotre, N.B., 1
Dai, F., 108
Dai, J.S., 259
Danckert, J., 524
Das, N.S., 509
Davim, J.P., 436, 441
Deis, M., 341
Dong, X., 624
Dotcheva, M., 284
Dunne, D.P., 536

Ehmann, K.F., 164
El-Abden, S.Z., 501
Erdem, G., 17
Ervasti, E., 142
Erzurumlu, T., 11
Esquivel, M.R., 304

Fakron, O.M.A., 127
Fan, S.M., 58
Fan, Y., 563
Fang, Y., 108
Filgueira, M., 254
Finn, M., 350
Fontanari, V., 97
Fox, P., 516
Fredel, M.C., 204
Fu-chen, C., 385
Fung, C.-P., 602

Gai, G.S., 58
Ghaei, A., 156
Gong, W., 374
Grandhi, R.V., 421
Guobin, L., 336, 416

Han, H.N., 317
Hao, X.Y., 58
Hashmi, M.J.S., 127
Hemin, D., 416
Holanda, J.N.F., 187
Hong, M.-S., 164
Hu, L., 403
Hu, X., 403
Huang, Y.-M., 616
Huttunen-Saarivirta, E., 211

Jeon, D.H., 50
Jia, X., 381
Jianwei, L., 416
jibing, S., 336
Jibing, S., 416
Jo, I., 570
Joo, B.-Y., 593
Joo, S.-H., 317
Joshi, S.V., 229

Kang, D.C., 112
Kang, P.-C., 602
Kaplan, D., 477
Kathuria, Y.P., 545
Kato, M., 563
Katsube, N., 71
Khangar, A., 1
Kim, J.-D., 570
Klein, A.N., 204
Kuriakose, S., 133
Kurtaran, H., 11
Kwak, T.S., 24

Lahiri, A.K., 323
Lan, J., 624
Lang, L., 524
Le, H.R., 310
Lee, D., 247
Lee, K.-B., 570
Lee, K.-H., 317
Li, C.-Z., 112
Li, M.-S., 112
Li, W., 374
Li, Z., 624
Lian, J.C., 381
Lino, F.J., 277
Liu, C.H., 367
Liu, F., 412
Lu, Y., 412
Luo, H., 403

Machado, I.F., 89
Magalhães, A., 277
Manabe, K.-i., 579
Marinescu, I., 341
Mata, F., 436
Mayer, H., 42
Millward, H., 284
Mohamed, F.A., 501
Morestin, F., 457
Movahhedy, M.R., 156

Nash, P., 586
Neema, M.L., 494
Neto, R.J.L., 277
Newman, D., 350
Nielsen, K.B., 524
Nishimura, H., 579
Noh, K.T., 50

Elsevier B.V.
doi:10.1016/S0924-0136(05)00968-4

Nolan, D., 536
Norrish, J., 536

Obikawa, T., 374
Oh, K.H., 317
Oh, S.-I., 593
Ohmori, H., 24
Öktem, H., 11
Olabi, A.G., 127
Oliveira, D.A., 350
O'Neill, W., 516
Otto, M., 151
Ozturk, F., 247

Padilha, A.F., 89
Paris, L., 448
Parsa, M.H., 298
Pasquevich, D.M., 304
Pavel, R., 341
Petzold, W., 151
Phaniraj, M.P., 323
Pillar, J., 341
Plancak, M., 220
Plaut, R.L., 89
Polozine, A., 611
Portnoi, V.K., 448
Pyoun, Y.-S., 570

Quanmei, G., 336, 416

Rad, M., 298
Rhim, S.-H., 593
Ru, W., 336

Sanjay, C., 494
Santini, M.C., 37
Schaeffer, L., 611
See, N.L., 115
Selcuk, C., 471
Shahhosseini, M.H., 298
Shahhosseini, M.R., 298
Shan, D., 412
Shang, H., 108
Shirakashi, T., 374
Shunmugam, M.S., 133
Siddiqui, R.A., 430
Sinn, G., 42
Soares, D., 441
Song, J.I., 50
Stanzl-Tschegg, S., 42
Stephany, A., 310
Sterjovski, Z., 536
Ståhlberg, U., 142
Sundar, J.K.S., 229
Sundararajan, G., 229
Sutcliffe, C.J., 516
Sutcliffe, M.P.F., 310
Suzuki, T., 24

Taheri, A.K., 156
Taptik, Y., 17
Teixeira, L.A.C., 37
Thawari, G., 229
Thiyagarajan, N., 421
Tiainen, T., 211
Topal, E.S., 192

Uehara, Y., 24

Vasconcelos, P.V., 277
Vijian, P., 32
Vilarinho, C., 441
Vollertsen, F., 220

Walter-Leberre, H., 457
Wang, J., 563
Wang, L.P., 381
Wang, W., 108
Wang, Y.-T., 367
Wisbey, A., 268
Withers, P.J., 551
Woitschig, J., 220
Wood, J.V., 471
Worswick, M.J., 350
Wu, D., 108
Wu, M.-C., 392
Wu, X.D., 381
Wu, Y., 563

Xie, H., 108
Xie, J.W., 516
Xiong, Y.S., 551
Xu, W., 412
Xu, Y., 112

Yan, B., 363
Yang, X., 586
Yang, Y.F., 58
Yao, L., 259
Ye, Z., 259
Yeh, W.-C., 392
Yih-fong, T., 385
Yoshihara, S., 579
You, J.-Y., 363

Zeng, H., 403
Zettl, B., 42
Zhang, S.H., 112
Zhao, N., 586
Zhenyan, Z., 416
Zhou, Z., 403
Zhu, H., 108
Zukhairi, M., 115
Zverv, I., 570

ELSEVIER

Journal of Materials Processing Technology 170 (2005) 634–642

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

# Subject Index of Volume 170

ABAQUS
Experimental and numerical analysis of out-of-plane formability test, 247
Accuracy
Micro-hole fabrication by mechanical punching process, 593
Additional radial compressive stress
Increasing the LDR through additional radial compressive stress, 151
Adhesion friction
An analysis of strain in chip breaking using slip-line field theory with adhesion friction at chip/tool interface, 509
$Al_2O_3$
Morphological modification in laser-dressed alumina grinding wheel material for microscale grinding, 1
Alignment
Micro-hole fabrication by mechanical punching process, 593
Aluminium-alloy
Experimental study on process of precision forging of an aluminium -alloy rotor, 412
Aluminum
Electromagnetic forming of aluminum alloy sheet: Free-form and cavity fill experiments and model, 350
The effect of mechanical alloying on SiC distribution and the properties of 6061 aluminum composite, 586
Analysis
Geometric analysis and tooth profiling of a three-lobe helical rotor of the Roots blower, 259
Analytic solution
Hot powder pressing—An analysis of the thermo-mechanical behavior of the roller, 317
Analytical model
Analysis, finite element simulation and experimental investigation of friction in tube hydroforming, 220
ANN
Application of artificial neural network in laser welding defect diagnosis, 403
Annealing process
Effect of hot rolling conditions to produce deep drawing quality steels for continuous annealing process, 17
Arc discharge
Investigation of strain in individual multi-walled carbon nanotube by a novel moiré method, 108
Arc–cycloidal rotor
Geometric analysis and tooth profiling of a three-lobe helical rotor of the Roots blower, 259
Artificial neural network
Modeling of tool wear in drilling by statistical analysis and artificial neural network, 494
Artificial neural network modelling
Artificial neural networks for modelling the mechanical properties of steels in various applications, 536
Audible sound
Application of artificial neural network in laser welding defect diagnosis, 403
Austenitic stainless steel
Microstructures and mechanical properties of Fe–15% Cr–15% Ni austenitic stainless steels containing different levels of niobium additions submitted to various processing stages, 89
Autocatalytic tin coating
Autocatalytic tin plating in the fabrication of tin-coated copper tube, 211

Ball bearings
An elastic deformation model of high speed spindles built into ball bearings, 570
Ball-spinning machine
Introduction to a new CNC ball-spinning machine, 112
Bayesian algorithm
An evaluation of recurrent neural network modelling for the prediction of damage evolution during forming, 551
Beech
Ultrasonic-assisted cutting of wood, 42
Blank holder force control
Effect of blank holder force control in deep-drawing process of magnesium alloy sheet, 579
Brasses
Influence of the chemical composition on the machinability of brasses, 441

C. Chemical etching
Surface conditioning of ABS for metallization without the use of chromium baths, 37
$Ca(OH)_2$–$H_2O$–$CO_2$
Nanostructured modification of mineral particle surfaces in $Ca(OH)_2$–$H_2O$–$CO_2$ system, 58
Carbon nanotubes
Investigation of strain in individual multi-walled carbon nanotube by a novel moiré method, 108
Carbon steels
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part I. Prediction of rolling loads and finish rolling temperature, 323
Cathodic hydrogen charging
Hydrogen embrittlement in 0.31% carbon steel used for petrochemical applications, 430
Centerless grinding
Determination of waviness decrease rate by measuring the frequency characteristics of the grinding force in centerless grinding, 563
Chamfered tools
Machining with chamfered tools, 115
Changeable-diameter-spinning
Introduction to a new CNC ball-spinning machine, 112

Elsevier B.V.
doi:10.1016/S0924-0136(05)00969-6

Chemical composition
Influence of the chemical composition on the machinability of brasses, 441
Chips
Influence of the chemical composition on the machinability of brasses, 441
Chlorination
Chlorination of samarium sesquioxide, 304
Circular die shapes
Study of the effects of die geometry on deformation in the radial forging process, 156
Cleavage fracture
Hydrogen embrittlement in 0.31% carbon steel used for petrochemical applications, 430
Coalescence
Failure analysis of anisotropic sheet-metals using a non-local plastic damage model, 457
Coating
Nanostructured modification of mineral particle surfaces in $Ca(OH)_2$–$H_2O$–$CO_2$ system, 58
Compaction
Cold consolidation of ATR-niobium powder under high pressure, 187
Composite
The effect of mechanical alloying on SiC distribution and the properties of 6061 aluminum composite, 586
Composite materials
Nanostructured modification of mineral particle surfaces in $Ca(OH)_2$–$H_2O$–$CO_2$ system, 58
Continuous casting
Artificial neural networks for modelling the mechanical properties of steels in various applications, 536
Convection heat transfer coefficient
Exact and approximate methods for determining the thermal parameters of the forging process, 611
Copper matrix composites
Fabrication of the nanometer $Al_2O_3$/Cu composite by internal oxidation, 336
Copper tube
Autocatalytic tin plating in the fabrication of tin-coated copper tube, 211
Corrosion properties
Autocatalytic tin plating in the fabrication of tin-coated copper tube, 211
Coupled
Electromagnetic forming of aluminum alloy sheet: Free-form and cavity fill experiments and model, 350
Creep forming
Simulation of windscreen bending using viscoplastic formulation, 298
Cubic boron nitride
Study of quenched steels machining with a polycrystalline Hexanite-R cutting tool, 254
Cutter trajectory
Geometric analysis and tooth profiling of a three-lobe helical rotor of the Roots blower, 259
Cutting conditions
Application of response surface methodology in the optimization of cutting conditions for surface roughness, 11
Cutting force
Ultrasonic-assisted cutting of wood, 42
A cutting force induced error elimination method for turning operations, 192
Influence of the chemical composition on the machinability of brasses, 441
Modeling of tool wear in drilling by statistical analysis and artificial neural network, 494
Cutting force model
Instantaneous shear plane based cutting force model for end milling, 164
Cutting force signal
A method of recognizing tool-wear states based on a fast algorithm of wavelet transform, 374
Cutting tool
A method of recognizing tool-wear states based on a fast algorithm of wavelet transform, 374

D. Polymers
Surface conditioning of ABS for metallization without the use of chromium baths, 37
Damage
Failure analysis of anisotropic sheet-metals using a non-local plastic damage model, 457
Damage evolution
An evaluation of recurrent neural network modelling for the prediction of damage evolution during forming, 551
Deep drawing
Increasing the LDR through additional radial compressive stress, 151
Effect of blank holder force control in deep-drawing process of magnesium alloy sheet, 579
Deep drawing steel
Effect of hot rolling conditions to produce deep drawing quality steels for continuous annealing process, 17
Diametral error
A cutting force induced error elimination method for turning operations, 192
Dome test
Experimental and numerical analysis of out-of-plane formability test, 247
Dressing
Morphological modification in laser-dressed alumina grinding wheel material for microscale grinding, 1
Dynamometer
Determination of waviness decrease rate by measuring the frequency characteristics of the grinding force in centerless grinding, 563

Edge quality
Three-dimensional finite element analysis of the magnetic tape slitting process, 71
Elastic deformation model
An elastic deformation model of high speed spindles built into ball bearings, 570
Elasto-plastic
Finite element analysis of tube inward curling process by conical dies, 616
Electric discharge machining and surface modification
Laser microprocessing of metallic stent for medical therapy, 545
Electro-discharge machining (EDM)
Investigation into some surface characteristics of electrical discharge machined SKD-11 using powder-suspension dielectric oil, 385
Electromagnetic
Electromagnetic forming of aluminum alloy sheet: Free-form and cavity fill experiments and model, 350
End milling
Instantaneous shear plane based cutting force model for end milling, 164
The application of tolerance analysis to the theoretical and experimental evaluation of a CNC corner-milling operation, 284
Etching
Laser microprocessing of metallic stent for medical therapy, 545
Eutectoid steel
Numerical analysis of the rolling process of shaped wires for locked steel ropes, 97

Experiment
Analysis, finite element simulation and experimental investigation of friction in tube hydroforming, 220
Experimental check
Analysis of the SPF of a titanium alloy at lower temperatures, 448
Extended process limits
Increasing the LDR through additional radial compressive stress, 151
Extractive metallurgy
Chlorination of samarium sesquioxide, 304

Failure
Failure analysis of anisotropic sheet-metals using a non-local plastic damage model, 457
Fault diagnosis
Application of artificial neural network in laser welding defect diagnosis, 403
FE simulation
Analysis, finite element simulation and experimental investigation of friction in tube hydroforming, 220
FE-analysis
Void initiation close to a macro-inclusion during single pass reductions in the hot rolling of steel slabs: A numerical study, 142
FEM
Hot powder pressing—An analysis of the thermo-mechanical behavior of the roller, 317
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part I. Prediction of rolling loads and finish rolling temperature, 323
FEM simulation
Effect of blank holder force control in deep-drawing process of magnesium alloy sheet, 579
Fiber reinforced plastics
A new machinability index in turning fiber reinforced plastics, 436
Finite element
Experimental and numerical analysis of out-of-plane formability test, 247
Finite element analysis
Three-dimensional finite element analysis of the magnetic tape slitting process, 71
Finite element method
Determination of flow stress and interface friction at elevated temperatures by inverse analysis technique, 64
An efficient finite element model of surface pit reduction on stainless steel in metal forming processes, 310
Finite element analysis of tube inward curling process by conical dies, 616
Inverse finite element approach and its application in sheet metal forming, 624
Finite element modelling
Numerical analysis of the rolling process of shaped wires for locked steel ropes, 97
Fitting strength
Nonlinear finite element analysis of swaging process for automobile power steering hose, 50
Flange forming defects
A rotary flange forming process on the lathe using a ball-shaped tool, 501
Flanging load
A rotary flange forming process on the lathe using a ball-shaped tool, 501
Flanging ratio
A rotary flange forming process on the lathe using a ball-shaped tool, 501
Flank wear
A comparative study on cutting tool performance in end milling of AISI D3 tool steel, 121
Flashlamp
Reactive sintering of porous tungsten: A cost effective sustainable technique for the manufacturing of high current density cathodes to be used in flashlamps, 471
FLD
Experimental and numerical analysis of out-of-plane formability test, 247
Flow stress
Determination of flow stress and interface friction at elevated temperatures by inverse analysis technique, 64
Force measurement
Grinding force control in an automatic surface finishing system, 367
Forging
An evaluation of recurrent neural network modelling for the prediction of damage evolution during forming, 551
Formability
Stamping formability of pure titanium sheets, 181
Forming
Electromagnetic forming of aluminum alloy sheet: Free-form and cavity fill experiments and model, 350
Forming limit
Stamping formability of pure titanium sheets, 181
Forming limit diagram
Experimental and numerical analysis of out-of-plane formability test, 247
Fourier analysis
A method of recognizing tool-wear states based on a fast algorithm of wavelet transform, 374
Frequency distribution
Determination of waviness decrease rate by measuring the frequency characteristics of the grinding force in centerless grinding, 563
Friction
Analysis, finite element simulation and experimental investigation of friction in tube hydroforming, 220
Analysis of the SPF of a titanium alloy at lower temperatures, 448
Friction properties
Multi-response optimization in friction properties of PBT composites using Taguchi method and principle component analysis, 602
Fully-enclosed die forging
Experimental study on process of precision forging of an aluminium-alloy rotor, 412

Gas–solid
Chlorination of samarium sesquioxide, 304
Genetic algorithm
Application of response surface methodology in the optimization of cutting conditions for surface roughness, 11
Multi-objective optimization of wire-electro discharge machining process by Non-Dominated Sorting Genetic Algorithm, 133
Geometric modeling
Geometric analysis and tooth profiling of a three-lobe helical rotor of the Roots blower, 259
Grain size
Grain size and surface roughness effect on the instability strains in sheet metal stretching, 204
Grinding conditions
Determination of waviness decrease rate by measuring the frequency characteristics of the grinding force in centerless grinding, 563
Grinding force
Determination of waviness decrease rate by measuring the frequency characteristics of the grinding force in centerless grinding, 563
Grinding force control
Grinding force control in an automatic surface finishing system, 367

Grinding of mold and die
Grinding force control in an automatic surface finishing system, 367

Hand grinder
Grinding force control in an automatic surface finishing system, 367
Hard turning
Effect of tool wear on surface finish for a case of continuous and interrupted hard turning, 341
Hardness
Artificial neural networks for modelling the mechanical properties of steels in various applications, 536
Hastelloy-X
Influence of process parameters during pulsed Nd:YAG laser cutting of nickel-base superalloys, 229
Heat affected zone
Influence of process parameters during pulsed Nd:YAG laser cutting of nickel-base superalloys, 229
Heat transfer
Experimental study of squeeze casting of gunmetal, 32
Hot powder pressing—An analysis of the thermo-mechanical behavior of the roller, 317
High pressure
Cold consolidation of ATR-niobium powder under high pressure, 187
High speed end milling
A comparative study on cutting tool performance in end milling of AISI D3 tool steel, 121
High speed spindles
An elastic deformation model of high speed spindles built into ball bearings, 570
High-strain rate
Electromagnetic forming of aluminum alloy sheet: Free-form and cavity fill experiments and model, 350
Homogeneity
Reactive sintering of porous tungsten: A cost effective sustainable technique for the manufacturing of high current density cathodes to be used in flashlamps, 471
Hot ductility
Artificial neural networks for modelling the mechanical properties of steels in various applications, 536
Hot forging
Exact and approximate methods for determining the thermal parameters of the forging process, 611
Hot powder pressing roller
Hot powder pressing—An analysis of the thermo-mechanical behavior of the roller, 317
Hot rolling
Void initiation close to a macro-inclusion during single pass reductions in the hot rolling of steel slabs: A numerical study, 142
Hot rolling condition
Effect of hot rolling conditions to produce deep drawing quality steels for continuous annealing process, 17
Hot strip rolling
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part I. Prediction of rolling loads and finish rolling temperature, 323
Hybrid material
In situ sol–gel composition of luminescent hybrid material incorporated with terbium coordination polymers, 363
Hydrogen embrittlement
Hydrogen embrittlement in 0.31% carbon steel used for petrochemical applications, 430
Hydromechanical deep drawing with uniform pressure onto the blank
Multi-layer sheet hydroforming: Experimental and numerical investigation into the very thin layer in the middle, 524

Ideal forming
Inverse finite element approach and its application in sheet metal forming, 624
Impact behaviour
Impact fracture study of epoxy-based composites with aluminium particles and milled fibres, 277
Impact toughness
Artificial neural networks for modelling the mechanical properties of steels in various applications, 536
In situ composition
In situ sol–gel composition of luminescent hybrid material incorporated with terbium coordination polymers, 363
In situ formation ceramics
Wear of Al–Mg–Cu composite reinforced by in situ formation of ceramics, 416
Inclusion location
Void initiation close to a macro-inclusion during single pass reductions in the hot rolling of steel slabs: A numerical study, 142
INCONEL™ 718
The mechanical and microstructural characteristics of laser-deposited IN718, 240
Increased limiting drawing ratio
Increasing the LDR through additional radial compressive stress, 151
Inferior layer
Wear of Al–Mg–Cu composite reinforced by in situ formation of ceramics, 416
Injection molding
Application of response surface methodology in the optimization of cutting conditions for surface roughness, 11
Multi-response optimization in friction properties of PBT composites using Taguchi method and principle component analysis, 602
In-service welding
Artificial neural networks for modelling the mechanical properties of steels in various applications, 536
Instability strains
Grain size and surface roughness effect on the instability strains in sheet metal stretching, 204
Intema1 oxidation
Fabrication of the nanometer $Al_2O_3$/Cu composite by internal oxidation, 336
Interrupted turning
Machining with chamfered tools, 115
Inverse analysis
Determination of flow stress and interface friction at elevated temperatures by inverse analysis technique, 64
Inward curling
Finite element analysis of tube inward curling process by conical dies, 616
Isothermal forming
Experimental study on process of precision forging of an aluminium -alloy rotor, 412

Kerf
Influence of process parameters during pulsed Nd:YAG laser cutting of nickel-base superalloys, 229

Laser
Morphological modification in laser-dressed alumina grinding wheel material for microscale grinding, 1
Laser cutting
Influence of process parameters during pulsed Nd:YAG laser cutting of nickel-base superalloys, 229
Laser microprocessing of metallic stent for medical therapy, 545

Laser deposition
The mechanical and microstructural characteristics of laser-deposited IN718, 240
Laser-aided manufacturing technologies; their application to the near-net shape forming of a high-strength titanium alloy, 268
Laser sintering
Effect of direct laser re-melting processing parameters and scanning strategies on the densification of tool steels, 516
Laser welding
Application of artificial neural network in laser welding defect diagnosis, 403
Laser-induced plasma
Application of artificial neural network in laser welding defect diagnosis, 403
Laves phase
Microstructures and mechanical properties of Fe–15% Cr–15% Ni austenitic stainless steels containing different levels of niobium additions submitted to various processing stages, 89
LENS™
The mechanical and microstructural characteristics of laser-deposited IN718, 240
Laser-aided manufacturing technologies; their application to the near-net shape forming of a high-strength titanium alloy, 268
Lifetime
Hot powder pressing—An analysis of the thermo-mechanical behavior of the roller, 317
Locked steel ropes
Numerical analysis of the rolling process of shaped wires for locked steel ropes, 97
Lubrication
An efficient finite element model of surface pit reduction on stainless steel in metal forming processes, 310
Luminescence
In situ sol–gel composition of luminescent hybrid material incorporated with terbium coordination polymers, 363

Machinability
A new machinability index in turning fiber reinforced plastics, 436
Influence of the chemical composition on the machinability of brasses, 441
Machining
Study of quenched steels machining with a polycrystalline Hexanite-R cutting tool, 254
Geometric analysis and tooth profiling of a three-lobe helical rotor of the Roots blower, 259
Machining center
Grinding force control in an automatic surface finishing system, 367
Macro-inclusion
Void initiation close to a macro-inclusion during single pass reductions in the hot rolling of steel slabs: A numerical study, 142
Magnesium alloy sheet
Effect of blank holder force control in deep-drawing process of magnesium alloy sheet, 579
Magnetic tape
Three-dimensional finite element analysis of the magnetic tape slitting process, 71
Materials parameters
Parametric approach model for determining welding conditions: New type of welding limit diagrams (WLD), 477
Mathematical simulation
Analysis of the SPF of a titanium alloy at lower temperatures, 448
Mechanical alloying
The effect of mechanical alloying on SiC distribution and the properties of 6061 aluminum composite, 586
Mechanical properties
Experimental study of squeeze casting of gunmetal, 32
Microstructures and mechanical properties of Fe–15% Cr–15% Ni austenitic stainless steels containing different levels of niobium additions submitted to various processing stages, 89
Analysis of the SPF of a titanium alloy at lower temperatures, 448
Hydrogen embrittlement in 0.31% carbon steel used for petrochemical applications, 430
Metal fittings
Nonlinear finite element analysis of swaging process for automobile power steering hose, 50
Metal forming
An efficient finite element model of surface pit reduction on stainless steel in metal forming processes, 310
Metal machining
An analysis of strain in chip breaking using slip-line field theory with adhesion friction at chip/tool interface, 509
Metal matrix composites
An evaluation of recurrent neural network modelling for the prediction of damage evolution during forming, 551
Microhardness
Surface melting of nodular cast iron by Nd-YAG laser and TIG, 127
Micro-hole
Micro-hole fabrication by mechanical punching process, 593
Microscale grinding
Morphological modification in laser-dressed alumina grinding wheel material for microscale grinding, 1
Microstructure
Experimental study of squeeze casting of gunmetal, 32
Microstructures and mechanical properties of Fe–15% Cr–15% Ni austenitic stainless steels containing different levels of niobium additions submitted to various processing stages, 89
Microstructure modelling
An evaluation of recurrent neural network modelling for the prediction of damage evolution during forming, 551
Milled fibres
Impact fracture study of epoxy-based composites with aluminium particles and milled fibres, 277
Milling
Application of response surface methodology in the optimization of cutting conditions for surface roughness, 11
Milling dynamics
Instantaneous shear plane based cutting force model for end milling, 164
Mineral particulate
Nanostructured modification of mineral particle surfaces in $Ca(OH)_2$–$H_2O$–$CO_2$ system, 58
Modelling
Parametric approach model for determining welding conditions: New type of welding limit diagrams (WLD), 477
Moiré method
Investigation of strain in individual multi-walled carbon nanotube by a novel moiré method, 108
Multi-level optimization
Multi-level design process for 3-D preform shape optimization in metal forming, 421
Multi-objective optimization
Multi-objective optimization of wire-electro discharge machining process by Non-Dominated Sorting Genetic Algorithm, 133
Multi-response optimization
Multi-response optimization in friction properties of PBT composites using Taguchi method and principle component analysis, 602
Multi-sheet
Multi-layer sheet hydroforming: Experimental and numerical investigation into the very thin layer in the middle, 524

Nanometer $Al_2O_3$
Fabrication of the nanometer $Al_2O_3$/Cu composite by internal oxidation, 336

Nanostructured modification
Nanostructured modification of mineral particle surfaces in $Ca(OH)_2$–$H_2O$–$CO_2$ system, 58
Natural boundary condition
A variational upper-bound method for analysis of upset forging of rings, 392
Nd:YAG
Influence of process parameters during pulsed Nd:YAG laser cutting of nickel-base superalloys, 229
Nd-YAG laser and TIG
Surface melting of nodular cast iron by Nd-YAG laser and TIG, 127
Necking
Failure analysis of anisotropic sheet-metals using a non-local plastic damage model, 457
Neural network
Application of neural network and computer simulation to improve surface profile of injection molding optic lens, 24
Nickel
The mechanical and microstructural characteristics of laser-deposited IN718, 240
Niobium additions
Microstructures and mechanical properties of Fe–15% Cr–15% Ni austenitic stainless steels containing different levels of niobium additions submitted to various processing stages, 89
Niobium powder
Cold consolidation of ATR-niobium powder under high pressure, 187
Nodular cast iron
Surface melting of nodular cast iron by Nd-YAG laser and TIG, 127
Nonlinear finite element analysis
Nonlinear finite element analysis of swaging process for automobile power steering hose, 50
Non-local plasticity
Failure analysis of anisotropic sheet-metals using a non-local plastic damage model, 457

Optical lens
Application of neural network and computer simulation to improve surface profile of injection molding optic lens, 24
Optimum work speed
Investigation in orthogonal turn-milling towards better surface finish, 487
Out-of-plane
Experimental and numerical analysis of out-of-plane formability test, 247
Oxide dispersion strengthening
Fabrication of the nanometer $Al_2O_3$/Cu composite by internal oxidation, 336

Pareto-optimal set
Multi-objective optimization of wire-electro discharge machining process by Non-Dominated Sorting Genetic Algorithm, 133
Particle reinforcement
Impact fracture study of epoxy-based composites with aluminium particles and milled fibres, 277
PBT
Multi-response optimization in friction properties of PBT composites using Taguchi method and principle component analysis, 602
PCBN
Effect of tool wear on surface finish for a case of continuous and interrupted hard turning, 341
Planning of experiments
Investigation in orthogonal turn-milling towards better surface finish, 487
Plastic flow
Numerical analysis of the rolling process of shaped wires for locked steel ropes, 97
Plastic injection molding
Application of neural network and computer simulation to improve surface profile of injection molding optic lens, 24
Polymer–matrix composites
Impact fracture study of epoxy-based composites with aluminium particles and milled fibres, 277
Porosity
Application of neural network and computer simulation to improve surface profile of injection molding optic lens, 24
Porous tungsten
Reactive sintering of porous tungsten: A cost effective sustainable technique for the manufacturing of high current density cathodes to be used in flashlamps, 471
Powder metallurgy
Reactive sintering of porous tungsten: A cost effective sustainable technique for the manufacturing of high current density cathodes to be used in flashlamps, 471
Powder-suspensions
Investigation into some surface characteristics of electrical discharge machined SKD-11 using powder-suspension dielectric oil, 385
Power steering hose
Nonlinear finite element analysis of swaging process for automobile power steering hose, 50
Precision forging
Experimental study on process of precision forging of an aluminium -alloy rotor, 412
Preform shape optimization
Multi-level design process for 3-D preform shape optimization in metal forming, 421
Pressure
Experimental study of squeeze casting of gunmetal, 32
Principal component analysis
Multi-response optimization in friction properties of PBT composites using Taguchi method and principle component analysis, 602
Punching
Micro-hole fabrication by mechanical punching process, 593
Pure titanium sheet
Stamping formability of pure titanium sheets, 181

Quadrature mirror filter pair
A method of recognizing tool-wear states based on a fast algorithm of wavelet transform, 374
Quenching
Hydrogen embrittlement in 0.31% carbon steel used for petrochemical applications, 430

Radial forging
Study of the effects of die geometry on deformation in the radial forging process, 156
Rapid prototyping
Effect of direct laser re-melting processing parameters and scanning strategies on the densification of tool steels, 516
Rapid tooling
Impact fracture study of epoxy-based composites with aluminium particles and milled fibres, 277
Reactive sintering
Reactive sintering of porous tungsten: A cost effective sustainable technique for the manufacturing of high current density cathodes to be used in flashlamps, 471
Recast layer
Investigation into some surface characteristics of electrical discharge machined SKD-11 using powder-suspension dielectric oil, 385

Recurrent neural network
An evaluation of recurrent neural network modelling for the prediction of damage evolution during forming, 551
Reduced basis technique
Multi-level design process for 3-D preform shape optimization in metal forming, 421
Reduction
Void initiation close to a macro-inclusion during single pass reductions in the hot rolling of steel slabs: A numerical study, 142
Regression model
Multi-objective optimization of wire-electro discharge machining process by Non-Dominated Sorting Genetic Algorithm, 133
Residue strain
Investigation of strain in individual multi-walled carbon nanotube by a novel moiré method, 108
Response surface methodology
Application of response surface methodology in the optimization of cutting conditions for surface roughness, 11
Roll radius
Void initiation close to a macro-inclusion during single pass reductions in the hot rolling of steel slabs: A numerical study, 142
Rolling force
A new rolling force model for dry thick temper rolling strip mill, 381
Rotor
Experimental study on process of precision forging of an aluminium -alloy rotor, 412
Rubber and braid layers
Nonlinear finite element analysis of swaging process for automobile power steering hose, 50

Samarium oxide
Chlorination of samarium sesquioxide, 304
Sensitivity analysis
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part I. Prediction of rolling loads and finish rolling temperature, 323
Shaped wire
Numerical analysis of the rolling process of shaped wires for locked steel ropes, 97
Sheet hydroforming
Multi-layer sheet hydroforming: Experimental and numerical investigation into the very thin layer in the middle, 524
Sheet metal forming
Failure analysis of anisotropic sheet-metals using a non-local plastic damage model, 457
Effect of blank holder force control in deep-drawing process of magnesium alloy sheet, 579
Inverse finite element approach and its application in sheet metal forming, 624
Sheet metal stretching
Grain size and surface roughness effect on the instability strains in sheet metal stretching, 204
SiC
The effect of mechanical alloying on SiC distribution and the properties of 6061 aluminum composite, 586
Simulation
Electromagnetic forming of aluminum alloy sheet: Free-form and cavity fill experiments and model, 350
Multi-layer sheet hydroforming: Experimental and numerical investigation into the very thin layer in the middle, 524
Determination of waviness decrease rate by measuring the frequency characteristics of the grinding force in centerless grinding, 563
$SiO_2$/Al–Mg–Cu composite
Wear of Al–Mg–Cu composite reinforced by in situ formation of ceramics, 416
Slab method
Study of the effects of die geometry on deformation in the radial forging process, 156
Sleeve and nipple
Nonlinear finite element analysis of swaging process for automobile power steering hose, 50
Sliding friction wear
Wear of Al–Mg–Cu composite reinforced by in situ formation of ceramics, 416
Slip-line solutions
An analysis of strain in chip breaking using slip-line field theory with adhesion friction at chip/tool interface, 509
Soda-lime glass
Simulation of windscreen bending using viscoplastic formulation, 298
Sol–gel
In situ sol–gel composition of luminescent hybrid material incorporated with terbium coordination polymers, 363
Spinning
Introduction to a new CNC ball-spinning machine, 112
Spot overlap
Influence of process parameters during pulsed Nd:YAG laser cutting of nickel-base superalloys, 229
Springback
Stamping formability of pure titanium sheets, 181
Spruce
Ultrasonic-assisted cutting of wood, 42
Squeeze casting
Experimental study of squeeze casting of gunmetal, 32
Statistical analysis
Modeling of tool wear in drilling by statistical analysis and artificial neural network, 494
Steel slab
Void initiation close to a macro-inclusion during single pass reductions in the hot rolling of steel slabs: A numerical study, 142
Steels
Artificial neural networks for modelling the mechanical properties of steels in various applications, 536
Stent
Laser microprocessing of metallic stent for medical therapy, 545
Step-type chip breaker
An analysis of strain in chip breaking using slip-line field theory with adhesion friction at chip/tool interface, 509
Straightness
Micro-hole fabrication by mechanical punching process, 593
Strain
An analysis of strain in chip breaking using slip-line field theory with adhesion friction at chip/tool interface, 509
Strain induced transformation
Thermo-mechanical modeling of two phase rolling and microstructure evolution in the hot strip mill. Part I. Prediction of rolling loads and finish rolling temperature, 323
Stream function
A variational upper-bound method for analysis of upset forging of rings, 392
Strip
A new rolling force model for dry thick temper rolling strip mill, 381
Structural development
Autocatalytic tin plating in the fabrication of tin-coated copper tube, 211
Superhard material
Study of quenched steels machining with a polycrystalline Hexanite-R cutting tool, 254
Superplastic forming
Analysis of the SPF of a titanium alloy at lower temperatures, 448

Surface error
The application of tolerance analysis to the theoretical and experimental evaluation of a CNC corner-milling operation, 284
Surface finish
Effect of tool wear on surface finish for a case of continuous and interrupted hard turning, 341
Investigation in orthogonal turn-milling towards better surface finish, 487
Surface finishing
Grinding force control in an automatic surface finishing system, 367
Surface pits
An efficient finite element model of surface pit reduction on stainless steel in metal forming processes, 310
Surface roughness
Application of response surface methodology in the optimization of cutting conditions for surface roughness, 11
Machining with chamfered tools, 115
A comparative study on cutting tool performance in end milling of AISI D3 tool steel, 121
Grain size and surface roughness effect on the instability strains in sheet metal stretching, 204
Investigation into some surface characteristics of electrical discharge machined SKD-11 using powder-suspension dielectric oil, 385
Influence of the chemical composition on the machinability of brasses, 441
Sustainability
Reactive sintering of porous tungsten: A cost effective sustainable technique for the manufacturing of high current density cathodes to be used in flashlamps, 471
Swaging process
Nonlinear finite element analysis of swaging process for automobile power steering hose, 50

Taguchi method
Grinding force control in an automatic surface finishing system, 367
Multi-response optimization in friction properties of PBT composites using Taguchi method and principle component analysis, 602
Temper rolling mill
A new rolling force model for dry thick temper rolling strip mill, 381
Terbium coordination polymers
In situ sol–gel composition of luminescent hybrid material incorporated with terbium coordination polymers, 363
Texture
Morphological modification in laser-dressed alumina grinding wheel material for microscale grinding, 1
Thermal deformation
Hot powder pressing—An analysis of the thermo-mechanical behavior of the roller, 317
Thermal parameters
Exact and approximate methods for determining the thermal parameters of the forging process, 611
Thermo-physical property
Investigation into some surface characteristics of electrical discharge machined SKD-11 using powder-suspension dielectric oil, 385
Thickness
Autocatalytic tin plating in the fabrication of tin-coated copper tube, 211
Thickness reduction
Application of neural network and computer simulation to improve surface profile of injection molding optic lens, 24
Ti–6Al–4V
Laser-aided manufacturing technologies; their application to the near-net shape forming of a high-strength titanium alloy, 268
Titanium
Laser-aided manufacturing technologies; their application to the near-net shape forming of a high-strength titanium alloy, 268
Titanium alloy
Analysis of the SPF of a titanium alloy at lower temperatures, 448
Tolerance analysis
The application of tolerance analysis to the theoretical and experimental evaluation of a CNC corner-milling operation, 284
Tool steel
A comparative study on cutting tool performance in end milling of AISI D3 tool steel, 121
Effect of direct laser re-melting processing parameters and scanning strategies on the densification of tool steels, 516
Tool wear
Machining with chamfered tools, 115
Effect of tool wear on surface finish for a case of continuous and interrupted hard turning, 341
Modeling of tool wear in drilling by statistical analysis and artificial neural network, 494
Total emissivity
Exact and approximate methods for determining the thermal parameters of the forging process, 611
Transmission electron microscopy
Investigation of strain in individual multi-walled carbon nanotube by a novel moiré method, 108
Tube end flanging
A rotary flange forming process on the lathe using a ball-shaped tool, 501
Tube hydroforming
Analysis, finite element simulation and experimental investigation of friction in tube hydroforming, 220
Turning
A cutting force induced error elimination method for turning operations, 192
A new machinability index in turning fiber reinforced plastics, 436
Turn-milling
Investigation in orthogonal turn-milling towards better surface finish, 487
Twist drill
Modeling of tool wear in drilling by statistical analysis and artificial neural network, 494

Ultrasonic cutting
Ultrasonic-assisted cutting of wood, 42
Ultrasonic processing
Ultrasonic-assisted cutting of wood, 42
Upset forging
A variational upper-bound method for analysis of upset forging of rings, 392

Variational upper-bound method
A variational upper-bound method for analysis of upset forging of rings, 392
V-bend
Stamping formability of pure titanium sheets, 181
Viscoplasticity
Simulation of windscreen bending using viscoplastic formulation, 298
Void initiation
Void initiation close to a macro-inclusion during single pass reductions in the hot rolling of steel slabs: A numerical study, 142

Wall-thinned tube
Introduction to a new CNC ball-spinning machine, 112

Wavelet analysis
A method of recognizing tool-wear states based on a fast algorithm of wavelet transform, 374
Application of artificial neural network in laser welding defect diagnosis, 403
Wear of materials
A method of recognizing tool-wear states based on a fast algorithm of wavelet transform, 374
Welding conditions
Parametric approach model for determining welding conditions: New type of welding limit diagrams (WLD), 477
Welding limit diagrams (WLD)
Parametric approach model for determining welding conditions: New type of welding limit diagrams (WLD), 477
Windscreen
Simulation of windscreen bending using viscoplastic formulation, 298
Wire-EDM
Multi-objective optimization of wire-electro discharge machining process by Non-Dominated Sorting Genetic Algorithm, 133
Wood
Ultrasonic-assisted cutting of wood, 42

X. ABS
Surface conditioning of ABS for metallization without the use of chromium baths, 37
X. Conditioning
Surface conditioning of ABS for metallization without the use of chromium baths, 37
X-ray diffraction
Surface melting of nodular cast iron by Nd-YAG laser and TIG, 127